Washington State Department of Transportation Commercial Vehicle Services PO Box 47367

Oversize/ Overweight Vehicle Permit Application

PO Box 47367 7345 Linderson Way SW Olympia, WA 98504-7367 360-704-6340 / Fax 360-704-6350

*** Same	Day Service No	t Guaranteed if Received	After 3:00 PM	*** Single	Trip Permits are	e valid for 3 days***
----------	----------------	--------------------------	---------------	------------	------------------	-----------------------

Chris Charniak 1159495								
1222 46 th Avenue East 206-730-4394 10-1\(\) -13								
Fife WA 98424 423-490-7244 Power Unit License 37045rp								
Power Unit License 37045rp Make Kenworth Transponder Number 1xkdp6exxxj794472 Make Kenworth Pear Base State Unit # 1999 MA T 26 DETAILED LOAD DESCRIPTION Sump section Destination (City) Clarkston Destination (City) WA/ID border Hwy 128 Power Unit # of Axles 4 2 80000 105500 5882.7 Width Height 20-1 15-6 Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle.								
Make Kenworth Year Base State Unit # T 26								
Make Kenworth Year 1999								
DETAILED LOAD DESCRIPTION Sump section Destination (City) Truck/Trailer (Connected by 5th Wheel) Truck/Trailer (Connected by Hitch) Single Vehicle								
DETAILED LOAD DESCRIPTION Sump section Tractor/Trailer (Connected by 5th Wheel) Truck/Trailer (Connected by Hitch) Truck/Trailer (Connected by Hitch) Truck/Trailer (Connected by Hitch) Single Vehicle								
Sump section Truck/Trailer (Connected by Hitch) Single Vehicle								
Origin (City) Clarkston Power Unit # of Axles 4 2 80000 Width 20-1 15-6 Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle. Trailing Unit # of Axles								
Origin (City) Clarkston Destination (City) WA/ID border Hwy 128 Power Unit # of Axles 4 2 Brows Weight 4 105500 Axle Spacing Report # 5882 7 Width 15-6 Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle. Spacing Axle Weight								
Clarkston WA/ID border Hwy 128 Power Unit # of Axles								
Clarkston WA/ID border Hwy 128 Power Unit # of Axles								
4 2 80000 105500 5882 7 Width Height 20-1 15-6 Load Length or Trailer Length (Whichever is longer) Front O/H Rear O/H Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle. Spacing Axle Weight								
Width 20-1 15-6 Total Overall Length Load Length or Trailer Length (Whichever is longer) Front O/H Rear O/H 48-0 Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle. Spacing Axle Weight								
20-1 15-6 48-0 Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle. Spacing Axle Weight								
Overweight Only: Axle spacings are required if no axle spacing report number is provided. Give axle spacing measured from center of axle to center of axle in feet and inches and number of tires per axle. Spacing Axle Weight								
to center of axle in feet and inches and number of tires per axle. Spacing Axle Weight								
Axle Weight								
Axle Weight								
Axle Weight								
Axle Weight								
Tire Size on Steer Axle Lift Axle? Which Tire Size? Self Steering?								
385 Yes No Axle? Dual Yes No								
Routes of Travel (State Highways with mileposts for single trip oversize/overweight required.)								
Highways Beginning MP Ending MP Highways Beginning MP Ending MP								
co 0.0 1.0								
193 1.50 0.51								
128 0.51 2.30								
County/City Miles Return Trip? Yes No								
EOR OFFICE LISE ONLY								
Email Address Permit No. Amount								
Print Name as it Appears on Credit Card Signature // / Date								
Chris Charniak 10-10-13								
Credit Card Type Bankcard # (All applications are processed over the Internet) Expiration Date O Visa & Mastercard 03-16								

Commercial Vehicle Services

Phone 360-704-6340

Fax 360-704-6350


www.wsdot.wa.gov/commercialvehicle




All Sections Must Be Completed

Request for Approval of Oversize/ Overweight Movement – Superloads Approval Form Only. Applicant MUST submit Application (DOT Form 560-021)

Company Name	Omega-Morgan Contact Person Chris Charniak								
Company Address City State Zip						Zip			
	222 46 th Avenue Ea	ıst	Fife		WA			98424	
Phone 206-730-		Fax 423-531-0496							
1000 San 100	n of Non-Reducible Lo	ad or Vehicle							
Sump Section									
Proposed Dates of		Origin			Destination				
14 Oct 20	013	Clarkston			WA/ID border Hwy 128				
Total Miles		Number of Loads one			Estimated Level Surface Speed 55				
Complete Propose	ed Routes of Travel.		**	eposts for					
Highways	Beginning MP	Ending MP	High	nways	Beginning	MP	End	ding MP	
CO	0.0	1.0							
193	1.5	0.51							
128	0.51	2.3							
Overweight: List weights per axle group									
Stinger Steered/S	Steerable Trailer	GVW Report Numb							
		Manned Steer Trailer railer (Load Length)	,		80000		5882		
Width 20-1	Height To 15-6	Front Overhang Rear Overhang Number of Axles 6							
20-1 15-6 20,1 6 Signature of Person Requesting Approval Date									
10 Oct 2013									
		- 4							
		FOR OFFIC	E USE ONLY	die et e					
Date Received and	Initials	HQ Approval No.							
Special Conditions/Requirements									







eSNOOPI Axle Spacing Report No.** 58827

This is Not a Permit

Vehicle Layout

1 2 3 4 5 6

6 Axles - Length: 61.17 ft. - Axle Groups:

Axle No.	1	2	3	4	5	6	7	8	9	10
Axle Spacing Ft-In	13-4	4 4-	-5 4	-3 3	5-2 4	1-0				
Tires (count/size)	2/385	4	4	4	4	4				
Axle Type	steer									
Permitted Weight (*see Remarks)	18,184	22,000	22,000	22,000	22,000	22,000				

Total Permitted Weight

Legal Weight

117,539

90,500

Axle Restrictions and Remarks for Permitted Weights:

Axles separated by less than 7 ft. Not to Exceed 43,000 lbs.

Tridem axles 2-4 Not to Exceed 56,355 lbs.

Axle Spacing Report Detail:

Number of Axles: 6

Length: 61.17 ft.
Axle Groups: Axle Groups:

Total Permitted: 117,539 lbs. = 1 (18184) + 2-4 (56355) + 5-6 (43000)

Legal Allowed: 90,500 lbs. = 1-4 (56500) + 5-6 (34000)

Axle(s)	Span (ft.)	Permited Weight lbs.
1		18,184
1-2	13.33	40,184 = 1 (18184) + 2 (22000)
1-3	17.75	61,184 = 1 (18184) + 2-3 (43000)
1-4	22.00	74,539 = 1 (18184) + 2-4 (56355)
1-5	57.17	96,539 = 1 (18184) + 2-4 (56355) + 5 (22000)
1-6	61.17	117,539 = 1 (18184) + 2-4 (56355) + 5-6 (43000)
2		22,000
2-3	4.42	43,000
2-4	8.67	56,355